

Date of uploaded Tender - 18.03.2023, Last date of Tender submission - 28.03.2023 and Prebid meeting Date 27.03.2023

(A) Name of work :- Replacement of window of Ground Floor to 3rd Floor of Headquarter Office of Central Sanskrit University, Delhi, 56-57, Institutional Area, Janakpuri, New Delhi-110058

Schedule of quantities

Sl. No.	Description of items	Rate			Unit	Amount
		Qty.	In Fig.	In words		
1.	Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead	60 Nos	414.55	Rs. Four hundred fourteen & paise fifty five only	Each	24,873=00
2.	Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq.meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge. (a) With cement mortar 1:4 (1cement: 4 coarse sand)	40	478.00	Rs. Four hundred seventy eight only	Square	19,120=00
3.	Providing and fixing factory made uPVC white colour sliding glazed window upto 1.50 m in height dimension comprising of uPVC multi-chambered frame with in-built roller track and sash extruded profiles duly reinforced with 1.60 ± 0.2 mm thick galvanized mild steel section made from roll forming process of required length (shape & size according to uPVC profile), appropriate dimension of uPVC extruded glazing beads and uPVC extruded interlocks, EPDM gasket, wool pile, zinc alloy (white powder coated) touch locks with hook, zinc alloy body with single nylon rollers (weight bearing capacity to be 40 kg), G.I fasteners 100 x 8 mm size for fixing frame to finished wall and necessary stainless steel screws etc. Profile of frame & sash shall be mitred cut and fusion welded at all corners, including drilling of holes for fixing hardware's and drainage of water etc. After fixing frame the gap between frame and adjacent finished wall shall be filled with weather proof silicon sealant over backer rod of required size and of approved quality, all complete as per approved drawing & direction of Engineer-in-Charge. (Single / double glass panes, wire mesh and silicon sealant shall be paid separately). Variation in profile dimension in higher side shall be accepted but no extra payment on this account shall be made. Note: For uPVC frame and sash extruded profiles minus 5% tolerance in dimension i.e. in depth & width of profile shall be acceptable. 9.147D.3 Two track two panels sliding window made of (big series) frame 67 x 50 mm & sash 46 x 62 mm both having wall thickness of 2.3 ± 0.2 mm and single glazing bead / double glazing bead of appropriate dimension . (Area of window above 1.75 sqm upto 2.50 sqm).	230	7821.15	Rs. Seven thousand eight hundred twenty one & paise fifteen only	Square	17,98,865=00
Eighteen lakh forty two thousand eight hundred fifty eight only						18,42,858=00

Terms & Conditions :- overleaf

- 1) The work shall be carried out as per CPWD specification and the direction of Competent Authority of Central Sanskrit University, Delhi.
- 2) Time allowed for the work is 60 days.
- 3) The work is to be execute from Ground Floor to 3rd Floor, at all height and level, nothing extra on account of scaffolding etc to be paid separately. The Agency shall quotes their rates considering all these aspects.
- 4) The Agency should inspect the site before quoting their rates.
- 5) The work shall be carried out with the convenience of the Central Sanskrit University, Delhi.
- 6) Any damaged to building, is to be restore by the agency, nothing extra to be paid in this account.
- 7) All deductions are applicable according to Govt. rules.
- 8) Earnest money of Rs. 60,000/- shall be deposited with tender in shape of D.D. The D.D. should be in the Name of Registrar, Central Sanskrit University, Delhi.
- 9) The payment will be made for the work executed at site and actual measurement at site. The quantities taken in schedule of quantity could be deviated on plus or minus side.
- 10) All bidders are informed to present on Prebid interaction date without fail. Absent bidders will be rejected in technical evaluation.

Pre-Bid Meeting Condition:

The Bid committee is inviting all prospective and eligible bidders to attend the pre-bid meeting for renovation works. The Pre-Bid meeting is scheduled on 27 March 2023 at 12:00 PM at Central Sanskrit University, New Delhi. The aim of Pre-Bid meeting is to answer any queries and clarifications that prospective bidder may have on the bidding documents as well as discussion will be held on clarification on work area. As the renovation work has different variety, so it is mandatory to the bidders to know the condition of area. After discussion in meeting and physical visit at workplace, it is mandatory to bidder to give an undertaking, if they agree to work under the conditions of university.

Points to be discussed in meeting are as follows:-

1. Quality of material.
2. Quality of work and site visit.
3. Other mandatory information to be shared for completion of renovation work.

Pre-bid meeting is mandatory to all interested bidders and are then will consider for technical bid after undertaking.